

限用物質含有情況標示聲明書

Declaration of the Presence Condition of the Restricted Substances Marking

證書號碼 / 受理編號: (No.)新申請

Certificate No./Application No.

商品標籤及商品檢驗標識: (Picture)

Product Label and Commodity Inspection Mark.

樣張及其標示位置: (Description and Picture)

Sample and its location

設備名稱: 乙太網路交換機 Equipment name: Ethernet Switch	型號 (型式): 4220-8MW-40P-4X Type designation (Model Type)					
單元 Unit	限用物質及其化學符號 Restricted substances and its chemical symbols					
	鉛 Lead (Pb)	汞 Mercury (Hg)	鎘 Cadmium (Cd)	六價鉻 Hexavalent chromium (Cr ⁺⁶)	多溴聯苯 Polybrominated biphenyls (PBB)	多溴二苯醚 Polybrominated diphenyl ethers (PBDE)
外殼 (Case)	○	○	○	○	○	○
電路模組 (Circuit Modules)	—	○	○	○	○	○
電線及電線組件 (Cables & Cable Assemblies)	○	○	○	○	○	○
組裝 (Assemblies)	○	○	○	○	○	○
備考1. “超出0.1 wt %”及“超出0.01 wt %”係指限用物質之百分比含量超出百分比含量基準值。 Note 1: “Exceeding 0.1 wt %” and “exceeding 0.01 wt %” indicate that the percentage content of the restricted substance exceeds the reference percentage value of presence condition. 備考2. “○”係指該項限用物質之百分比含量未超出百分比含量基準值。 Note 2: “○” indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence. 備考3. “—”係指該項限用物質為排除項目。 Note 3: The “—” indicates that the restricted substance corresponds to the exemption.						

茲切結保證所提供之商品限用物質含有情況標示內容係經執行測試作業或採適當之品質管理措施，並備置前述相關文件，確認正確無誤後提供貴局，並同意配合貴局執行後市場管理作業所需，依商品檢驗法第49條之規定，於限期28個工作天內提供相關證明文件以供審查。

I hereby ensure that “the presence conditions of the restricted substance” provided above have been proved by testing or appropriate quality control measures, and make sure the relevant documents provided are correct and ready. Also, I agree to cooperate with BSMI, as Article 49 of the Commodity Inspection Act stipulates, to provide the relevant documents, if needed, for verification within 28 working days when BSMI carries out the market surveillance activities.

此致 to

經濟部標準檢驗局 The Bureau of Standards, Metrology and Inspection

申請人: 愛爾蘭商極進網絡技術行動有限公司台灣分公司

負責人: Padraig Michael Hayes

(Signature)

中華民國 113 年 01 月 19 日
DATE (year) (month) (day)




各單元鉛含量之CNS15663 附錄D相對應排除項目依據

型號（型式）：4220-8MW-40P-4X	
電路模組	D. 14, D. 16
電源變壓器/電源供應器	D. 14, D. 16
組裝(Assembles)	D. 13

商品標籤

Product Label



Extreme
networks
2121 RDU Center Drive, Suite 300
Morrisville, NC 27560 United States
Extreme Networks, Inc.

This product is covered by one or more of the U.S. patents (and any foreign patent counterparts thereto) listed at <http://extremenetworks.com/about-extreme/patents.aspx>.

CAUTION! SHOCK HAZARD, DISCONNECT ALL POWER INPUTS BEFORE SERVICING
Mise en garde! Danger de choc, débrancher toutes les entrées d'alimentation électrique avant l'entretien

警告! 電击危險, 維修前務請所有電源輸入
警告! 電擊危險, 維修前務請所有電源輸入



Refer to instruction manual for correct selection of power cord
Consultez le manuel d'instructions pour bien choisir le cordon d'alimentation

參考指導手冊來選擇正確的電源線
參考指導手冊來選擇正確的電源線

110882-00 rev AA











This class A digital device complies with Part 15 of the FCC Rules. Operation is subject to the following (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesirable operation.
CAN ICES-3(A)/NMB-3(A)

この装置は、クラスA機器です。この装置を住宅環境で使用すると電波妨害を引き起こすことがあります。この場合には使用者が適切な対策を講ずるよう要求されることがあります。 VCCI-A

警告: 在居住环境中, 运行此设备可能会造成无线电干扰。
警告: 為避免電磁干擾, 本產品不應安裝或使用於住宅環境。

交流電輸入 / 交流電輸出
AC PSU Input: 100-240V~, 50-60Hz, 9.0A Max. (for IPS)

直流電輸出 / 直流電輸出
PoE output: 54 Vdc, 0.55 A Max., 30 W Max.
for 1 – 40 port, per port, 54Vdc, 1.7A Max., 90W Max. for 41 – 48 port, per port, Total 740W.

USB Output: 5Vdc, 0.5A, 2.5W.

Input: 12Vdc, 8.58A max., 55Vdc 15.4A max. (for RPS)(optional)

Factory: Alpha Networks Inc.

Made in Taiwan 台灣製造/台灣製造



Model No. 4220-8MW-40P-4X
產品型號/產品型號

Part No. 4220-8MW-40P-4X
產品料號/產品料號

Product Date: XXXX
生產日期/生產日期

System No. 801149-00-AA
系統號碼/系統號碼

Serial No. PA092338G-00001
序列號/序號

以太網路交換機
乙太網路交換機




商品檢驗標識

Commodity Inspection Mark



D3E700
RoHS

使用手冊上指引 RoHS 含有情況

Hazardous Substances- China and Taiwan BSMI RoHS

Guidance concerning the China and Taiwan BSMI RoHS (Restriction of Hazardous Substances) directive for this Extreme Networks® product can be obtained on request.