

May 6, 2025

---

## Immediate End of Sale Wireless Antennas

---

### Summary:

This following part numbers will be immediate EOS. The antennas are shared from Wireless Access points there have already gone EOS.

*Pursuant to the terms of your agreement with Extreme Networks®, this letter serves as your formal written End-of-Sales announcement.*

### Definitions

---

- **End-of-Sale Notification Date:** Date of official End-of-Sales Notification as described above.
- **End-of-Sales (EOS) Date:** The last date to order the product through Extreme Networks point-of-sale mechanisms. The product is no longer offered for sale after this date.
- **End-of-Software-Maintenance (EOSM) Date:** The last date that Extreme will release any maintenance or patch releases for a specific major release.
- **End-of-Service-Life (EOSL) Date:** The last date a product will be supported by Extreme Networks.

For more information related to Extreme's product End of Life process, refer to the Support and End ofLife Policy at <https://www.extremenetworks.com/support/policies/>.

**Listed below are the effected part numbers for End of Sale and suggested replacement part numbers.**

## Affected Product SKUs

Marketing Part Number	Description	EOS	EOSM	EOSL
30703	Indoor, 4.9-6.1GHz, 4-feed, 4dBi, 60 degree sector antenna with standard RPSMA-type plug	5/15/2025	n/a	n/a
30704	Indoor, 2.3-2.7GHz, 4-feed, 5dBi, 60 degree sector antenna with standard RPSMA-type plug connector	5/15/2025	n/a	n/a
30705	Indoor 2.4GHz/5GHz, eight feed, 6.5/5.5dBi, 25 degree sector antenna with standard RPSMA-type plug connector	5/15/2025	n/a	n/a
30706	Indoor 5GHz, four feed, 5dBi, 25 degree sector antenna with RPSMA-type plug connector	5/15/2025	n/a	n/a
30712	Outdoor, 4.9-6.1GHz 4-feed, 4dBi, 60 degree sector antenna with standard N-type plug	5/15/2025	n/a	n/a
30716	Outdoor 5GHz, four feed, 5dBi, 25 degree sector antenna with standard N-type plug connector	5/15/2025	n/a	n/a
ML-1499-10JK-01R	10 ft Low-Loss coaxial cable jumper: N Male to N Male	5/15/2025	n/a	n/a
ML-1499-25JK-01R	25 ft Low-Loss coaxial cable jumper: N Male to N Male with 2 connector seal kits	5/15/2025	n/a	n/a
ML-2452-APAG2A1-01	ANT:DIPOLE,GN:2DBI-2.4GHZ,1DBI-5GHZ,BLK	5/15/2025	n/a	n/a
ML-2452-APAG2A1-02	Antenna 2G and 5G 3dB Omni for indoor White Color	5/15/2025	n/a	n/a
ML-2452-HPA6M6-072	ANT: 6 DUAL ELEMENT OMN ANTENNA	5/15/2025	n/a	n/a
ML-2452-HPA6X6-036	ANT: 6 PORT OMNI ANTENNA	5/15/2025	n/a	n/a
ML-2452-LAK1-01R	2.4/5 GHz, Lightning Arrestor (N Female to N Female) with N Male to RP-SMA Male adapter	5/15/2025	n/a	n/a
ML-2452-LAK1-02R	DUAL BAND LIGHTNING ARRESTOR	5/15/2025	n/a	n/a

ML-2452-PNL6M3-N36	ANT:3 PORT DUAL BAND PANEL ANTENNA WITH 36 INCH CABLE AND N-MALE CONNECTOR	5/15/2025	n/a	n/a
ML-2452-PTA3M3-036	P-7131 3 PORT MIMO ANTENNA 36IN PIGTAIL	5/15/2025	n/a	n/a
ML-2452-PTA6M6-036	ANT: 6 PORT PATCH ANTENNA	5/15/2025	n/a	n/a
ML-2452-PTA6X6-036	NT: 6 PORT PATCH ANTENNA	5/15/2025	n/a	n/a
ML-2452-SEC6M4-N30	ANT DUAL SECTOR WITH 30IN CBL, N CONN	5/15/2025	n/a	n/a
ML-2499-HPA3-02R	ANT: 2.4GHZ 3.3DBI DIPOLE ANTENNA	5/15/2025	n/a	n/a
ML-2499-HPA4-01	Outdoor Rated; Type: Dipole; Gain: 4dBi @ 2.4GHz; Connector: N-Male	5/15/2025	n/a	n/a
ML-2499-HPA8-01	Environment: Outdoor Rated; Type: Dipole; Gain: 8 dBi @2.4GHz; Connector: N-Male	5/15/2025	n/a	n/a
ML-5299-FHPA6-01R	Antenna: 5 GHz, Outdoor, Type: Dipole Array (Pipe), Omnidirectional, 6 dBi, Beam Width: E-Plane: 16 degrees, H-Plane: 360 degrees, N-Male connector type	5/15/2025	n/a	n/a
ML-5299-HPA10-01	Environment: Outdoor Rated; Type: Dipole; Gain: 10 dBi @5.0GHz@4.9GHz; Connector: N-Male	5/15/2025	n/a	n/a
ML-5299-HPA5-01	Outdoor Rated; Type: Dipole; Gain: 5dBi @5.0GHz; Connector: N-Male	5/15/2025	n/a	n/a

## Replacement Product SKUs

---

EOS Part Number	Suggested Solution Level Replacement Marketing Part Number	Product Description
ML-2452-APAG2A1-01	ML-2452-APA2-01	Dipole, 3.2dBi (2.4 GHz) and 4.9dBi (5 GHz) dual band with RP-SMA connector, color: black
ML-2452-APAG2A1-02	ML-2452-APA2-02	Dipole, 3.2dBi (2.4 GHz) and 4.9dBi (5 GHz) dual band with RP-SMA connector, color: white

## Terms & Conditions

---

Orders are subject to product availability. Extreme Networks shall not have any liability for failure to meet a delivery date.

## End of Sale Returns

---

Distributors and Partners should refer to the applicable Extreme policy regarding product returns as result of End of Sale notification and End of Sale.

## Ongoing Support

---

During the support period, replacement of product and/or repairs may be limited by availability of components. Extreme Networks reserves the right to change prices and/or discontinue any service plans at any time on end-of-sale product. For detailed information regarding service pricing on this end-of-sale product, please consult your local Extreme Networks sales representative for the most recent price list.

## Contact Information

---

### Contact Information

For more product information, contact Wireless PLM via [WirelessPLM@extremenetworks.com](mailto:WirelessPLM@extremenetworks.com). For service information, please contact Services via [servicemarketing@extremenetworks.com](mailto:servicemarketing@extremenetworks.com).

Terms and Conditions:

- All terms and conditions of sale shall be governed by Customer's (or Channel Partner's, where applicable) applicable agreement or Extreme's Standard Terms and Conditions of Sale and Services without such a written agreement.
- Valid and existing contractual discounts, if any, will continue to apply where applicable.

## CONFIDENTIAL INFORMATION -- PROPRIETARY RIGHTS NOTICE

This document is for the sole use of Extreme Networks' authorized resellers and distributors and contains confidential and proprietary information of Extreme Networks. This document is provided for your business use only and is subject to the terms of any product purchase and non-disclosure agreements that you have with Extreme Networks. You may not disclose or distribute this document to any third party without the prior written consent of Extreme Networks.

This product roadmap represents Extreme Networks' current product direction. All product releases will be on a when-and-if available basis. Actual feature development and timing of releases will be at the sole discretion of Extreme Networks. Not all features are supported on all platforms.

Presentation of the product roadmap does not create a commitment by Extreme Networks to deliver a specific feature. Contents of this roadmap are subject to change without notice.