

# **ExtremeCloud SD-WAN**

# **Enable Predictable User Experience**

#### Across One Network

#### Accelerated Transformation

- · Scaled digital transformation
- · Simplified multi-cloud and SaaS connectivity
- · Lower risk integration of new IoT, AR, and collaboration tools

#### A Simpler WAN


- · Centralized configuration and management
- · Reduced security complexity
- Easier alignment of goals with outcomes through policy

#### Improved Operational Efficiency

- · Increased site availability and resilience
- · Faster root cause analysis and MTTR
- · Optimized processes and automation

### **Better Outcomes**

- · Increased business agility
- · Data-driven decisions
- · Improved productivity



ExtremeCloud SD-WAN Appliance ( ) IPsec Encrypted Tunnels

# Reduce Risk and Simplify Operations

Network and security complexity are rapidly increasing. Legacy networks are straining to support today's hybrid IT environments, a mix of on-premises, cloud, and SaaS technologies, as well as real-time, bandwidth-intense collaboration services and applications required by hybrid work.

As organizations adapt to an unprecedented rate of change, IT teams are grappling with a lack of automation and integration between technologies, a lack of broad and deep visibility, widening skills shortages, and increasingly complex licensing.

However, as both network edges and the attack surface increase, SD-WAN can also create new management and security. This makes choosing the right SD-WAN solution more important.

ExtremeCloud™ SD-WAN enables predictable user experiences across One Network with a flexible, secure solution. It offers the usual connectivity, continuity, and cost benefits of SD-WAN, while helping to improve

- · security, automation, and resilience with Fabric to the Edge
- · user experience and productivity with Application Performance Management
- · manageability with Unified Management of wired, wireless, and SD-WAN devices
- $\cdot$  cost control with cost-effective OPEX subscription, flexible subscription terms, and speed tiers

# Fabric to the Edge

- Highly scalable extension of Extreme Fabric services over lowcost internet access transport improves visibility, performance, and resilience at branches
- Extreme SD-WAN optimizes performance and security for tunneled Fabric traffic
- Zero-touch provisioning of Extreme Univeral Wired (Switching) and Wireless (APs) across the network
- Fabric hypersegmentation enables secure connectivity, simplified compliance, and improved attack resistance against lateral threats
- · Fabric resilience enables sub-second failover

# **Application Performance Management**

- · Predictable user experiences improve productivity
- Auto-discovery of more than 5,000 SaaS applications, including custom application kits, streamlines deployment and identifies shadow IT
- Intelligent application performance control analyzes and optimizes traffic to enforce an end-to-end, per-session QoS for critical application sessions, even when the network is congested
- Advanced application performance visibility enables at-a-glance assessment and rapid troubleshooting
- Evidence-based network refinement reduces risk

# **Unified Management**

- Unified management experience for Universal Wired, Wireless, and SD-WAN, including Fabric service visibility and configuration, saves time
- LAN-to-WAN-to-Cloud performance monitoring powered by AIOPs, contextual telemetry, and granular network and application performance visibility across users, devices, sites, links, and locations
- Choice of public, private, or ExtremeCloud Edge hosting saves time and money with consistent operations

# **Solution Components**

#### Cloud-Native SD-WAN Orchestrator

- Orchestration policies for SD-WAN appliances, topology, security profiles, cloud on-ramps, and end-to-end OoE
- Applications Anywhere simplifies and accelerates digital transformation with direct-to-internet policy definition for SaaS applications and maintenance-free cloud on-ramps —no VNF required
- Site-to-data center-to-laaS connectivity over any WAN transport enables flexible, secure overlay topologies

#### Built-In SD-WAN Security and Segmentation

- Built-in zone-based firewall enables VPN traffic segmentation and internet traffic steering (direct-to- internet, data center backhaul, and web gateways)
- Optional bring your own security approach enables robust WAN and internet access security from leading vendors

#### Risk-Free SD-WAN Subscriptions

- 100% OPEX with flexible 12, 24, and 36-month terms reduces purchase risk
- A range of speed tiers and SD-WAN appliances support the smallest branch to the largest data center
- Next-Business Day Advance Hardware Replacement ensures business continuity
- Industry-leading 7x24x365 global technical support and Extreme's unique Customer Success program to help customers get the most from their investment

# **Solution Components Overview**

# **SD-WAN Orchestration**

Features	Description		
Cloud-native	Cloud hosted and managed by Extreme Networks, integrated with ExtremeCloud		
Onboarding and Configuration	pliance template and configuration policy (overlay, security, application performance, routing, High Availability) ming soon: Applications Anywhere, local port forwarding, and configuration versioning and rollback		
Secure Communications	HTTPS, TLSv2, mutual authentication, secure device enrollment		
User Access Control	Per-user RBAC, suited for flexible delivery models, managed service vs DIY		
Fabric with SD-WAN Integration	Automated, encrypted SD-WAN overlay for Fabric remote sites, basic SD-WAN features for tunneled Fabric traffic, advanced application performance and SD-WAN features for specific Fabric traffic		

# Connectivity

Features	Description	
Overlay	IPsec based, full mesh, automated hub-and-spoke topology with manual spoke-to-spoke and hub-to-hub shortcuts, external VPN gateway support	
Multisite Deployment Model	Full-routed, bridge-routed hybrid, full-bridged	
Transparent Level 2 Connectivity	Bridge mode, fail to wire (HW model-dependent), Link State Propagation	
Automated Hub-and-Spoke Topology	IPsec IKEv2, automatic tunnels set up between spokes and hubs	
Automated Full-Mesh Topology	Coming soon: automatic tunnels set up between sites	
Custom Topologies	IPsec IKEv2, manual hub interconnection, manual site-to-site shortcut, manual site-to-laaS	
Optional High Availability	VRRP, OSPF, BGP, Level 2 proprietary synchronization	

# **Application Performance Management**

Features	Description		
Applications Anywhere	Coming soon: Automated connectivity between SD-WAN Sites and public cloud hyperscalers (Azure, AWS), DTI policy for SaaS applications, application performance monitoring and QoS enforcement without hosting VNF in the VPC		
Automated Application Recognition	5000+ SaaS applications, DPI dictionary with option for manual additions, and custom Layer 3-Layer 7 applications definition		
Dynamic WAN Selection	er-session, based on network performance, application-specific requirements, and application criticality		
QoE-Based QoS	Per-session prioritization, based on application-specific requirements and application criticality		
Monitoring and Troubleshooting	Appliance and application troubleshooting: MapView, Appliance360, Site360, Application monitoring Coming so WAN optimization/compression, SLA, WAN availability, VoIP, WAN360, App360, network troubleshooting tools, Napplication troubleshooting		
Alerting	Default alarms Coming soon: Custom alarms		
Reporting	Default PDF reports, report scheduling   Coming soon: dynamic reports, custom reports		

Features	Description
Integration	RESTful Alerting API
Optional WAN Optimization	Compression, SSL optimization

#### Security

Features	Description	
Zone-Based Firewall	evel 3 VPN segmentation, internet traffic policies with application granularity	
Direct to Internet	tateful firewall, NAT, log export, local port forwarding	
External SWG Compatibility	IPsec IKEv2, ZScaler Internet Access, Symantec WSS, Palo Alto Prisma Access	

#### **SD-WAN Subscriptions Packages and Appliances**

SD-WAN Subscriptions Packages and Appliances		
Zero Touch Provisioning	Secure SD-WAN appliance inventory, per-device SN-based enrollment	
Enterprise Packages	NT-Branch-XS, ENT-Branch-S, ENT-Branch-M, ENT-DC-S, ENT-DC-M, ENT-DC-L	
Speed Tiers	250Mbps to 10Gbps	
Networking and Routing	DHCP client, DHCP relay, NAT, VLANs, BGP, OSPF, static routes, BFD, DPD, local preferences	
Physical Connectivity	GE 10/100/1000 base-T, 10G base SR/LR, optical, copper	
WAN Interface Operation	Bridged (802.3), Routed	

# **Cloud-Native SD-WAN Orchestration**

Configure and set orchestrator policy for connectivity, performance, and security

#### Connectivity

ExtremeCloud SD-WAN simplifies and transforms your WAN edge with full connectivity between your sites, data center, and Infrastructure as a Service (IaaS), with flexible, secure topologies, featuring:

 An automated hub-and-spoke topology for customer sites in geographical proximity when neither site-to-site communications nor multi-cloud integration is required.

Applications Anywhere enables automated connectivity between SD-WAN sites and top public cloud VPC hyperscalers (such as Azure, AWS), as well as direct-to- internet policy definition for SaaS applications, allowing internet breakout directly at the origin site. Applications Anywhere requires no VNF hosting in the VPC and is powered by application performance monitoring and enforced prioritization, enabling heavily optimized deployment times, no impact on VPC performance, and reduced single point of failure risk.

• Third-party gateway integration enables customers to integrate remote sites not equipped with SD-WAN appliances within their overlay network.


ExtremeCloud SD-WAN service is delivered locally by our SD-WAN Appliance hardware and provided as part of the ExtremeCloud SD-WAN solution. Appliances are deployed at locations between the WAN transport devices and the LAN switch. Deployment modes include a broad range of options configurable from the orchestrator, including:

- · Pure bridge mode (for example, application performance over MPLS use cases)
- · Full SD-WAN router with comprehensive networking, routing, overlay, and security capabilities

#### Fabric to the Edge

Extreme Fabric works seamlessly over ExtremeCloud SD-WAN to extend Extreme's widely deployed Fabric services from the campus or data center all the way to branches at the edge via internet access transport.

- ExtremeCloud SD-WAN provides a secure, cost- effective, and low-risk means to connect sites and extend Fabric services globally between the smallest branches and the largest data centers, while improving resilience, visibility, and performance across the network.
- Extreme Fabric facilitates auto discovery and configuration of fabric-enabled switches and access points across SD-WAN connected branches, enabling a zero-touch provisioned, centrally managed fabric across all sites.
- Extreme Fabric also enables enhanced zero-trust security and granular management via the use of LAN hypersegmentation based on IEEE 802.1Q. This greatly reduces the attack surface, protects the core network from traditional means of IP-based attacks and observation, and inhibits east-west threat movement.



# **Application Performance Management and Visibility**

From online banking and shopping to distance education and telehealth, user experience has never been more important. Consistently exceptional application experiences for your team, your customers, and your partners start with exceptional application performance management.

#### **Application Performance Control**

ExtremeCloud SD-WAN enables organizations to control performance relative to intended outcomes with Dynamic WAN Selection and Application Performance algorithms. at the session level, enabling high quality of service and high performance of critical applications.

- · When congestion occurs between sites, the SD-WAN appliances coordinate to protect critical applications.
- Each session, depending on its designated criticality, is allocated the bandwidth necessary to achieve specified performance without impacting the next user.
- · Application Control is a global, dynamic and session- based QoS solution.
- Dynamic bandwidth allocation based on real-time bandwidth availability and application demand measurement across the network for critical application sessions supports performance goals during periods of network congestion.

Dynamic traffic steering across a maximum of three different transport networks (MPLS-MPLS, MPLS- Internet, or Internet-Internet) to ensure resilience, application performance, and cost optimization enables:

- Selection of the best network access for each application session to maximize application performance and continuity of service while optimizing network utilization
- Real-time determination of best access for each application session by end-to-end characteristics of each available network (quality and bandwidth)
- Enforced, company-specific policy supported by several selection strategies (fully automated, partially, or totally limited).

#### **Application Performance Visibility**

ExtremeCloud SD-WAN automatically recognizes applications and analyzes each packet to measure end-to-end performance and monitoring, accelerating issue resolution.

- · Ingested netflow data from the LAN and WAN enables detection and location of network and application performance issues.
- · Visualization of key network metrics, such as packet loss, delay, and delay variation, and application metrics, such as TCP RTT (Round Trip Time), TCP SRT (Server Response Time), and TCP retransmission rate enables quick troubleshooting.
- Deep Packet Inspection, Experience Quality Score, and Application Flow Details support accelerated troubleshooting, root cause analysis, and mean time to repair.
- · Experience Quality Score (EQS) measures traffic in real time or on a consolidated basis, with a 0 to 10 score.
- · EQS provides at-a-glance understanding of the performance of a given application, a site, or a link.
- · Diagnostic tools visualize the real-time connectivity status of any paths between sites in the networks.
- · Troubleshooting tools expedite incident resolution via drilldown.

# **Application Performance Reporting**


ExtremeCloud SD-WAN's reporting capabilities enable data-driven decisions and takes the guesswork out of performance management.

- · Compare performance objectives defined by the orchestrator against actual performance as measured on the network.
- · Schedule PDFs reports for easy dissemination.
- Enhanced Reporting option enables Application Reporting to collect data and aggregate it for up to 13 months.

# **Security and Segmentation**

New network edges increase the attack surface, and the threat landscape is rapidly escalating. At the same time, many organizations are struggling with security skills gaps, multiple point solutions, and NOC SOC integration challenges. ExtremeCloud SD-WAN provides a secure, flexible solution that reduces complexity, while helping protect users, applications, and data from attackers.

- · A built-in zone-based firewall, configured at the domain level, implements VPN traffic segmentation.
- · Preservation of Fabric virtual network segments over SD-WAN links.
- Optional traffic direction to leading security solutions from Palo Alto, Zscaler, Symantec, and other vendors enables a customers to take advantage of their current security investments.



# **ExtremeCloud SD-WAN Subscriptions, Appliances and Licensing**

ExtremeCloud SD-WAN enables risk-free, financially efficient SD-WAN, with flexible packages, terms, and add-ons that reduce purchase risk.

Our commercial offering includes:

- · An Enterprise Package, which provides the foundation for enterprise-grade SD-WAN
- · A range of add-on packages

#### **Enterprise Packages**

Each Enterprise Package represents an SD-WAN site and includes an appropriate SD-WAN appliance and access to our support and maintenance services and Customer Success Program.

A single SD-WAN domain can have multiple Enterprise Packages with different Service Levels, different SD-WAN appliances, and different terms. An Enterprise Package can be upgraded to a higher Service Level by ordering a new Enterprise Package, but an Enterprise Package cannot be downgraded.

# **Enterprise Package Descriptions**

Service Subscription SKU	SD-WAN Service Level/BW	Subscription Type	New Subscription Term	Renewal Term	Associated HW
Branch-XS	XS/250Mbps	Site	1, 3, or 5 years	Flexible (minimum of 1 year)	ipe-30so
Branch-S	S/500Mbps	Site			ipe-30ax
Branch-M	M/750Mbps	Site			ipe-40ax-v2
DC-S	L/1000Mbps	Site			ipe-420ax
DC-M	XL/2Gbps	Site			ipe-2200ax-T
DC-L	XXL/10Gbps	Site			ipe-2200ax-10G-SR or ipe-2200ax-10G-LR

# **SD-WAN Appliance Specifications**

SD-WAN appliances provide a common set of software capabilities, differentiated by performance metrics and connectivity capabilities. Appliances are divided into two primary usage groups based on the designation of either Branch or Data Center.

# **SD-WAN Appliance for Branch Offices - Technical Specifications**

Model	ipe-30so	ipe-30ax	ipe-40ax-v2	
WAN Interfaces		3xGE 10/100/1000Base-TX		
LAN Interfaces		1xGE 10/100/1000Base-TX		
Bypass (Fail-to-wire)	1 interface pair		2 interface pairs	
Link State Propagation	Yes			
WAN Interface Operation		Bridged (802.3), Routed		
Application Performance	Visibility, Control, Dynamic	Visibility, Control, Dynamic WAN Selection, Cloud Application Database (more than 5000 Applications)		
WAN Optimization	No Compression, deduplication, including HTTPS			
Network and Routing	IPv4: Static, BGP, BFD, local preferences, OSPF, DHCP Relay, DHCP Client, NAT			

Model	ipe-30so	ipe-30ax	ipe-40ax-v2
Security	Direct-to-Internet, Stateful Firewall, Zone Based Firewall		
Overlay	IPsec based, full-mesh, automated Hub and Spoke topology with manual Spoke-to-Spoke and Hub-to-Hub shortcuts, external VPN Gateway support		
High Availability	VRRP for routed mode, proprietary for hybrid and bridge mode		
Recommended Users	up to 100	up to 100	up to 300

# **SD-WAN Appliance for Data Center - Technical Specifications**

Model	ipe-420ax	ipe-2200ax-T	ipe-2200ax-SR-10G ipe-2200ax-LR-10G
WAN Interfaces	3xGE 10/100/1000Base-TX	3xGE 10/100/1000Base-TX	3x GE 10GBase-SR/LR LC
LAN Interfaces	2xGE 10/100/1000Base-TX	2xGE 10/100/1000Base-TX	2x 10GBase-SR/LR LC
Bypass (Fail-to-wire)	2 interface pairs	No	No
Link State Propagation	Yes		
WAN Interface Operation	Bridged (802.3), Routed		
Application Performance	Visibility, Control, Dynamic WAN Selection, Cloud Application Database (5000+ Applications )		
WAN Optimization	Compression, Deduplication, including HTTPS.		
Network and Routing	IPv4:Static, BGP, BFD, local preferences, OSPF, DHCP Relay, DHCP Client, NAT		
Security	Direct-to-Internet, Stateful Firewall, Zone Based Firewall		
Overlay	IPsec based, full-mesh, automated Hub and Spoke topology with manual Spoke-to-Spoke and Hub-to-Hub shortcuts, external VPN Gateway support		
High Availability	VRRP for routed mode, proprietary for hybrid and bridge mode		
Recommended Users	up to 5,000	up to 50,000	up to 50,000

# Feature availability in Enterprise Package and Add-on Packages

Feature	XSD-WAN Enterprise
SD-WAN Service Level	
Cloud Orchestration, ZTP	·
SD-WAN Appliance (Branch or DC)	
Basic AppPerf	
Remote V+C	•••
Cloud Application Database	
Advanced App Perf/WAN opt	
High Availability (Site Resiliency)	
Hybrid of full-stack deployments (bridge+routed, or fully-routed)	

Feature	XSD-WAN Enterprise
Basic Security (ZBF)	
Enhanced Reporting	·

<sup>·</sup> Included per Site

<sup>···</sup> Optional Multisite

# **Choice of Add-Ons**

A choice of add-ons increases the value of an Enterprise Package with high availability, security, and other add-ons. The rule and terms for add-on licenses are:

- · New Subscription Term: Flexible (min 1 year)
- · Renewal Term: Flexible (min 1 year)
- · License Type: Per-site or per-domain (licensed functionality will be available to all sites in an SD-WAN domain).
- Stackable licenses: per-domain licenses are stackable, meaning that more than one can be assigned to an SD-WAN domain to increase the capacity of a certain licensed feature.

#### **High Availability Add-on Subscription**

In addition to the Enterprise Package Service License, a High Availability Add-on License provides the Site Resiliency functionality, forming a High Availability pair. A High Availability Service License and license term must match the paired Enterprise Package Service License (for example, ENT-HA-Branch-S can be paired only with ENT-Branch-S).

Service Subscription	Subscr. Type	New Subscr. Term	Renewal Term	HW included
HA-Branch-XS	Site	1, 3, or 5 years	Flexible (minimum 1 year)	Yes
HA-Branch-S	Site			Yes
HA-Branch-M	Site			Yes
HA-DC-S	Site			Yes
HA-DC-M	Site			Yes
HA-DC-L	Site			Yes

#### **Other Add-on Subscriptions**

Service Subscription	Subscription Type	Service Level
ENT-Remote-VandC-5		Stackable license enabling 5 RVC destinations within a domain with Remote V+C functionality. Licensed per number of configurable RVC destinations.

# **Support, Service, and Customer Success**

ExtremeCloud SD-WAN subscriptions include industry-leading 7x24x365 global technical support, access to our Technical Support portal, Next-Business Day Advance Hardware Replacement services, and Customer Success resources.

Our Customer Success program provides:

- · On-demand training and onboarding guidance to speed time to value
- · A templatized success plan to help you bridge the gaps between knowledge and best practices
- · Self-Serve technical audit to help anticipate future issues
- · Best practice tips to help you manage your solution
- · Periodic reviews with a customer success advocate to ensure you are on the best path to success for your organization



©2024 Extreme Networks, Inc. All rights reserved. Extreme Networks and the Extreme Networks logo are trademarks or registered trademarks of Extreme Networks, Inc. in the United States and/or other countries. All other names are the property of their respective owners. For additional information on Extreme Networks Trademarks, see https://www.extremenetworks.com/about-extreme-networks/company/legal/trademarks. Specifications and product availability are subject to change without notice. 8oct24

www.extremenetworks.com