

Advance Notification of End-of-Sale of C5 Switches

This document is the formal six month advance notification of the June 30, 2017 end-of-sale of the C5 Switches. The replacement product for the C5 Series is the X460-G2 family of switches. Please carefully review the remainder of this document for specific products affected, definitions, milestones, and replacement products.

Products Affected

Part Number	Product Description		
C5G124-24	(24) 10/100/1000 RJ45 ports, (4) combo SFP ports, (2) dedicated high-speed stacking		
0.00124-24	ports and external RPS connector. Total active ports per switch: (24) Gigabit ports		
	(24) 10/100/1000 PoE (.at + .af) RJ45 ports, (4) combo SFP ports, (2) dedicated high-		
C5G124-24P2	speed stacking ports and external RPS connector. Total active ports per switch: (24)		
	Gigabit ports		
C5G124-48	(48) 10/100/1000 RJ45 ports, (4) combo SFP ports, (2) dedicated high-speed stacking		
030124-40	ports and external RPS connector. Total active ports per switch: (48) Gigabit ports		
	(48) 10/100/1000 PoE (.at + .af) RJ45 ports, (4) combo SFP ports, (2) dedicated high-		
C5G124-48P2	speed stacking ports and external RPS connector. Total active ports per switch: (48)		
	Gigabit ports		
	(24) 10/100/1000 RJ45 ports, (2) combo SFP ports, (2) 10GE ports, (2) dedicated high-		
C5K125-24	speed stacking ports and external RPS connector. Total active ports per switch: (24)		
	Gigabit ports + (2) 10GE ports		
	(24) 10/100/1000 PoE (.at + .af) RJ45 ports, (2) combo SFP ports, (2) 10GE ports, (2)		
C5K125-24P2	dedicated high-speed stacking ports and external RPS connector. Total active ports per		
	switch: (24) Gigabit ports + (2) 10GE ports		
	(48) 10/100/1000 RJ45 ports, (2) combo SFP ports, (2) 10GE ports, (2) dedicated high-		
C5K125-48	speed stacking ports and external RPS connector. Total active ports per switch: (48)		
	Gigabit ports + (2) 10GE ports		
	(48) 10/100/1000 PoE (.at + .af) RJ45 ports, (2) combo SFP ports, (2) 10GE ports, (2)		
C5K125-48P2	dedicated high-speed stacking ports and external RPS connector. Total active ports per		
	switch: (48) Gigabit ports + (2) 10GE ports		

Part Number	Product Description		
	(24) SFP, (2) SFP+ ports, (2) dedicated high-speed stacking ports and external RPS		
C5K175-24	connector. Total active ports per switch: (24) SFP, (2) 1GE or 10GE SFP+ ports		
	TAA-Compliant (24) 10/100/1000 RJ45 ports, (4) combo SFP ports, (2) dedicated high-		
C5G124-24-G	speed stacking ports and external RPS connector. Total active ports per switch: (24)		
	Gigabit ports		
	TAA-Compliant (24) 10/100/1000 PoE (.at + .af) RJ45 ports, (4) combo SFP ports, (2)		
C5G124-24P2-G	dedicated high-speed stacking ports and external RPS connector. Total active ports per		
	switch: (24) Gigabit ports		
	TAA-Compliant (48) 10/100/1000 RJ45 ports, (4) combo SFP ports, (2) dedicated high-		
C5G124-48-G	speed stacking ports and external RPS connector. Total active ports per switch: (48)		
	Gigabit ports		
	TAA-Compliant (48) 10/100/1000 PoE (.at + .af) RJ45 ports, (4) combo SFP ports, (2)		
C5G124-48P2-G	dedicated high-speed stacking ports and external RPS connector. Total active ports per		
	switch: (48) Gigabit ports		
	TAA-Compliant (24) 10/100/1000 RJ45 ports, (2) combo SFP ports, (2) 10GE ports, (2)		
C5K125-24-G	dedicated high-speed stacking ports and external RPS connector. Total active ports per		
	switch: (24) Gigabit ports + (2) 10GE ports		
	TAA-Compliant (24) 10/100/1000 PoE (.at + .af) RJ45 ports, (2) combo SFP ports, (2)		
C5K125-24P2-G	10GE ports, (2) dedicated high-speed stacking ports and external RPS connector. Total		
	active ports per switch: (24) Gigabit ports + (2) 10GE ports		
	TAA-Compliant (48) 10/100/1000 RJ45 ports, (2) combo SFP ports, (2) 10GE ports, (2)		
C5K125-48-G	dedicated high-speed stacking ports and external RPS connector. Total active ports per		
	switch: (48) Gigabit ports + (2) 10GE ports		
	TAA-Compliant (48) 10/100/1000 PoE (.at + .af) RJ45 ports, (2) combo SFP ports, (2)		
C5K125-48P2-G	10GE ports, (2) dedicated high-speed stacking ports and external RPS connector. Total		
	active ports per switch: (48) Gigabit ports + (2) 10GE ports		
	TAA-Compliant (24) SFP, (2) SFP+ ports, (2) dedicated high-speed stacking ports and		
C5K175-24-G	external RPS connector. Total active ports per switch: (24) SFP, (2) 1GE or 10GE SFP+		
	ports		

Please note that the end of sale date for an individual model will be driven by "while supplies last". If demand for a specific model spikes over what has been the normal demand for that model, the end of sale date for that specific model may happen earlier than June 30, 2017.



Definitions

- End-of-Sales Announcement Date: Date of official End-of-Sales notice.
- End-of-Sales Date: The last date to order the product through Extreme Networks[®] point-of-sale mechanisms. The product is no longer offered for sale after this date.
- End-of-Life Date: The last date a product will be supported by Extreme Networks.

End of Sales Milestones

Platform	EOS Announce Date	EOS Date	EOL Date
C5	12/31/2016	6/30/2017	6/30/2022



Replacement Products

The X460-G2 is the migration path for C5 customers since the EXOS operating system supports dynamic policy. The X460-G2 switches provide a hot-swappable fan tray, dual hot-swappable modular power supplies or both PoE and non-PoE switches, DC power, front-to-back and back-to-front cooling options, more 10Gb Ethernet uplinks (4 versus 2), dual 10GBase-T ports, 40Gb Ethernet uplinks, 1588 Precision Timing protocol support, synchronous Ethernet, higher speed stacking and more policy users per port, more policy profiles and more policy rules per user profile.

Part #	Replacement Part #	Short Description
C5G124-24	16716	X460-G2-24t-GE4, fan tray and AC power supply must be added
C5G124-48 16717 C5G124-24P2 16718 C5G124-48P2 16719		X460-G2-48t-GE4, fan tray and AC power supply must be added
		X460-G2-24p-GE4, fan tray and AC power supply must be added
		X460-G2-48p-GE4, fan tray and AC power supply must be added
	16705	X460-G2-24x-10GE4, fan tray and AC power supply must be
C5K175-24		added
	16701	X460-G2-24t-10GE4, fan tray and AC power supply must be
C5K125-24		added
C5K125-48	16702	X460-G2-48t-10GE4, fan tray and AC power supply must be
C5K125-46		added
C5K125-24P2	16703	X460-G2-24p-10GE4, fan tray and AC power supply must be
C5K125-24P2		added
C5K125-48P2	40704	X460-G2-48p-10GE4, fan tray and AC power supply must be
C5K125-46P2	16704	added
C5G124-24-G	16716T	X460-G2-24t-GE4 with dual 300 watt power supplies and fan
C5G124-24-G		tray, TAA-compliant
C5G124-48-G	No Direct	16719T that supports PoE-power could be used but there is no
C5G124-46-G	Replacement	TAA 48 port model with 1GbE uplinks without PoE power
C5G124-24P2-G	16718T	X460-G2-24p-GE4 with dual 715 watt power supplies and fan
C5G124-24P2-G		tray, TAA-compliant
C5G124-48P2-G	16719T	X460-G2-48p-GE4 with dual 1100 watt power supplies and fan
030124-4072-0		tray, TAA-compliant
C5K175-24-G	16705T	X460-G2-24x-GE4 with dual 300 watt power supplies and fan
UDN 170-24-G		tray, TAA-compliant



Part #	Replacement Part #	Short Description
C5K125-24-G	No Direct	16703T that supports PoE-power could be used but there is no
	Replacement	TAA 24 port model with 10GbE uplinks without PoE power
C5K125-48-G	No Direct	16704T that supports PoE-power could be used but there is no
	Replacement	TAA 48 port model with 10GbE uplinks without PoE power
C5K125-24P2-G	16703T	X460-G2-24p-10GE4 with dual 715 watt power supplies and fan
C5K125-24P2-G		tray, TAA-compliant
C5K125-48P2-G	16704T	X460-G2-48p-10GE4 with dual 1100 watt power supplies and fan
C5K125-48P2-G		tray, TAA-compliant

Ongoing Support

New contracts may *only* be added in the first 12 months following the end-of-sale date. Existing contracts may be renewed during the first 4 years of the end-of-support period, provided that during the period following the end-of-sale date, the hardware replacement services provided do not include any 4-hour or onsite services, and that the contract expiration date does not extend beyond the end-of-support date as specified above. During the support period, replacement of product and/or repairs may be limited by availability of components. Extreme Networks reserves the right to change prices and/or discontinue any service plans at any time on end-of-sale product. For detailed information regarding service pricing on this end-of-sale product, please consult your local Extreme Networks sales representative for the most recent price list.

Note: The Advanced Routing license (C5L3-LIC) will continue to be offered for sale to allow C5 customers that decide to upgrade installed C5 switches to support advanced routing features.



Contact Information

For more product and service information, please contact Karl Pieper at (603) 952-5827: kpieper@extremenetworks.com

This notice is further conditioned upon the terms and conditions as described in Extreme's published End of Sales / End of Support / End of Life policies located at the following link: http://www.extremenetworks.com/support/end-of-sale-and-end-of-support-products

CONFIDENTIAL INFORMATION -- PROPRIETARY RIGHTS NOTICE

This document is for the sole use of the Extreme Networks' authorized resellers and distributors and contains confidential and proprietary information of Extreme Networks. This document is provided for your business use only and is subject to the terms of any product purchase and non-disclosure agreements that you have with Extreme Networks. You may not disclose or distribute this document to any third party without the prior written consent of Extreme Networks.

General Disclaimer. Although Extreme Networks has attempted to provide accurate information with this document, Extreme Networks assumes no responsibility for the accuracy of the information. Extreme Networks may change its release schedules, programs, product specifications, or definitions mentioned in the document at any time without notice. Any reference to non-Extreme Networks products or services is for information purposes only and constitutes neither an endorsement nor a recommendation.