

Extreme Platform ONE™



ハイライト

- Extreme Agent ONE™ Coworker は、Extreme Platform ONE に搭載されたエージェントAIアシスタントです。人に取って代わるのではなく、人と共に働くよう設計されています。
- Extreme Agent ONE は、さびげないナッジ（気づきの通知）で重大な問題をオペレーターに知らせ、ポイント＆クリックで状況の把握と解決を支援します。
- Extreme Exchange™ は、AIスキルを厳選して提供するマーケットプレイスであり、その管理基盤です。AIスキルの利用状況とコストを把握・制御できます。
- Third-Party Management Engine (TPME) により、IT部門はExtreme製デバイスと他社製デバイスを単一のインターフェースで検出、監視、管理できます。
- 簡素化されたワークフローにより、ネットワーキング、セキュリティ、インベントリのライフサイクル管理、調達、コンプライアンスにわたるクリック数を削減します。
- マルチドメイン、マルチレイヤのビューにより、ネットワークの理解と管理が容易になります。
- 完全なゼロトラスト・アクセス・セキュリティとExtreme Fabric の可視化・設定により、エンドツーエンドのネットワークおよびセキュリティの自動化を実現します。
- デバイス、インベントリ、サブスクリプション、契約の管理ワークフローにより、調達、コンプライアンス、管理業務などの工数を削減します。
- 強力な管理ツールが価値実現までの時間を短縮し、管理にかかる時間を削減します。
- 24時間365日の人によるトップクラスのテクニカルサポートとアップデートを含む包括的なサブスクリプション・プログラムにより、総所有コストの把握と管理がより簡単になります。

Extreme Platform ONE : シンプルで安全な接続を実現

ネットワークとセキュリティはますます複雑化しており、その複雑さが成長とイノベーションを妨げています。Extreme Platform ONE は、安全な接続をシンプルにします。業界初の、セキュリティ、テクニカルサポート、そして対話型・マルチモーダルな Extreme Agent ONE Coworker エージェントAIを統合したオールインワンのネットワーキングにより、組織は効率、セキュリティ、生産性を向上させながら、総所有コストを削減できます。

エージェントAI主導のオールインワン・プラットフォームである Extreme Platform ONE により、組織は次のことが可能になります:

- **管理・トラブルシューティング・エラー対応の負担を軽減** — Extreme Agent ONE Coworker のAI技術がネットワークの状態を継続的に監視し、懸念される状態や項目があればオペレーターに通知します。
- **数分でネットワークを保護・拡張** — 統合された完全なゼロトラスト・アクセス・セキュリティと、ゼロタッチのセキュアネットワークファブリックにより実現します。
- **効率的で配慮の行き届いた設計により、Extreme Platform ONE 全体でマルチドメイン、マルチレイヤのビュー、簡素化されたワークフロー、ロールベースのパーソナライズされた体験を提供します。**
- **総所有コストを削減** — テクノロジーのアップデートと、業界トップクラスのグローバルな人によるテクニカルサポート (GTAC) を含むサブスクリプション・プログラムにより実現します。これらは、機能の導入と最適化を促進し、ビジネス成果の達成と投資の早期回収を支援します。

Extreme Agent ONE Coworker の主な機能とメリット

ますます複雑化する環境で、運用効率の向上を実現するAIアシスタント。

現代のIT部門は厳しい現実と直面しています。ネットワークはますます複雑になる一方で、ITチームには一貫してより良いビジネス成果を出すことが求められています。Extreme Agent ONE Coworker は、ユーザー、デバイス、アプリケーション、サービス間のコンテキストを自動的に相関させ、考えられる原因の特定、影響の評価、調査と意思決定の迅速化を支援します。また、インサイトを能動的に提示し、新たな問題を強調表示し、次のステップを提案し、調査をガイドします。

Extreme Agent ONE Coworker の機能:

Extreme Platform ONE を基盤として構築

Extreme Agent ONE Coworker は、Extreme Platform ONE 全体に組み込まれたインテリジェンス層です。Extreme Platform ONE は、ネットワーク、セキュリティ、オペレービリティ、デジタル・エクスペリエンス、運用分析、ビジネスコンテキストを単一の運用プラットフォームに統合し、統一された運用基盤を提供します。Extreme Agent ONE Coworker は、その運用インテリジェンスを実行可能なガイダンスへと変換します。

AI搭載のコワーカー


Extreme Agent ONE Coworker は、インサイトを能動的に提示し、新たな問題を強調表示し、次のステップを提案し、調査をガイドするよう設計されています。ダッシュボードの操作やレポートの検索に代わり、Extreme Agent ONE Coworker は実際のネットワークデータに基づいて、パフォーマンス、ユーザーエクスペリエンス、アプリケーションに関する文脈に沿った回答を提供し、データ収集と分析にかかる時間を最大50%削減します。

IT部門が作業ではなく成果に集中できるように支援


従来の運用ツールは情報を提供するために設計されています。Extreme Agent ONE Coworker は、ユーザーが成果を達成できるよう支援するために設計されています。管理者がダッシュボードを手動で検索し、アラートを調査し、テレメトリを分析し、ドキュメントを確認して次のアクションを判断する代わりに、問題の解決、サービスの改善、ビジネス上の優先事項の支援に集中できます。

トラブルシューティングと解決を加速、問題を最大15倍速く解決


Extreme Agent ONE Coworker は、証拠の収集、チェックの実行、ネットワーク状況の相関分析、考えられる根本原因と推奨される次のステップの提示といった、トラブルシューティングの裏にある調査作業を自動化します。これらはすべてお客様のチーム固有のネットワーク環境に基づいています。IT専門知識を拡張し手作業による調査を減らすことで、Extreme Agent ONE Coworker は、対象となる問題をチームが最大15倍速く解決できるよう支援します*。これによりITチームは、ネットワークの最適化、情報に基づく意思決定、事後対応型の問題解決から事前の計画と予防への移行といった、戦略的な業務に時間を充てることができます。



Extreme Platform ONE と Extreme Agent ONE Coworker により、IT部門は作業ではなく成果に集中できます。



意味のあるグラフィックにより、運用やパフォーマンスの指標に対して明確で簡潔な回答を提供します。



右側のサイドバーには、プロンプト、データソース、処理ステップ、次のステップの確認など、プロンプトへの回答が表示されます。

Extreme Agent ONE Coworker の主な機能とメリット（続き）


より良いネットワーク成果の実現

組織がAIに投資するのは、より多くの提案を得るためではなく、成果を改善するためです。Extreme Agent ONE Coworker は、最も重要な成果を継続的に改善できるよう支援します。チームがより良い意思決定をより迅速に行えるよう支援することで、限られたリソースで増大する複雑さに対処しながら、より良いネットワーク成果を実現します。


Extreme Agent ONE Coworker の拡大するAIスキルのポートフォリオ

これらのスキルは、運用ナレッジ、ネットワークインテリジェンス、ベストプラクティスを、実行可能な支援へと変換します。各スキルは特定の運用課題の解決に役立ちます。これらを組み合わせることで、ITチームが環境を理解し、調査し、最適化し、より効果的に運用するための包括的なインテリジェンス層を構築します。

- **Talk To Data:** 自然言語を使って運用情報とやり取りできます。
- **Talk To Knowledge:** 運用ガイダンス、製品知識、ドキュメント、サポートケース、ベストプラクティス、トラブルシューティングの推奨事項に、文脈に沿ってアクセスできます。
- **Nudge:** ユーザーが検索を始める前に、インサイト、推奨事項、異常、最適化の機会を能動的に提示します。
- **Talk To Support:** インシデント管理、サポートワークフロー、サービス運用のために、ExtremeのGTACチームに運用インテリジェンスを提供します。
- **Canvas:** サマリー、運用レポート、トラブルシューティング文書、経営層向けアップデート、ワークフローの成果物を自動生成します*。
- **Radio Resource Management:** 無線環境、RFの挙動、クライアントのパフォーマンス、ローミングパターン、環境要因を継続的に分析し、無線運用を最適化します*。



Extreme Platform ONE のメインメニューから、Extreme Agent ONE Coworker のスキルに直接話しかけることができます。



Extreme Agent ONE Coworker は、検出した優先度の高い問題のタスクリストを、各問題の是正に向けた推奨アクションとともに自動的に提示します。

Extreme Exchange™ は Extreme Agent ONE Coworker 向けの追加スキルのマーケットプレイスを提供

Extreme Exchange は、ユーザーがAIスキルを検索、有効化、管理できる、厳選されたマーケットプレイスです。AIスキルの利用状況とコストを把握・制御でき、組織全体の支出に対するガードレールも組み込まれています。


*このスキルは、今後のリリースで Extreme Agent ONE Coworker に対応予定です。

ゼロタッチ、ゼロトラストのネットワーキング

Extreme Platform ONE はネットワーキングとセキュリティを統合し、場所を問わない安全な接続をシンプルにして、複雑さとコストを削減します。標準のネットワーキング・サブスクリプションには、自動セグメンテーションと強化されたWi-Fiセキュリティを実現する Extreme Fabric が含まれます。追加のセキュリティ・サブスクリプションには、統合されたクラウドNAC、オンプレミスNAC、ユニバーサルZTNAが含まれ、すべて単一のポリシーエンジンで運用できます。これらの機能により、組織はゼロトラストを拡張し、あらゆる利用者に安全にサービスを提供でき、リスク、ダウンタイム、手作業を削減できます。

Extreme Fabric は、キャンパス、データセンター、ブランチ全体でネットワークを統合、自動化、保護します


- Extreme Fabric のクラウドでの可視化と設定により、ファブリックネットワークとそのサービスの監視、設定、トラブルシューティングをクラウドから簡単に行えます。
- サブ秒のコンバージェンスにより、ダウンタイムゼロのアーキテクチャを実現し、コストとリスクを削減します。
- マクロおよびマイクロセグメンテーションの自動化により、ネットワークセキュリティが向上し、コンプライアンス対応が簡素化されます。
- ステルス・トポロジーにより、コアネットワークをIPベースのスキャンや悪意ある攻撃者から隠蔽します。
- ジャストインタイム・サービスにより、未使用のサービスを縮小し、バックドア経由のネットワークアクセスのリスクを低減します。
- Extreme Platform ONE Security との統合により、Extreme Fabric を活用してゼロトラスト・アクセスポリシーを拡張できます。



Extreme Fabric で自動化、保護、拡張を実現します。

Extreme Platform ONE Security : 包括的なIDベースのアクセスセキュリティにより、キャンパス、ブランチ、リモートワークのゼロトラストを簡素化し拡張*

- Extreme Platform ONE Security は Extreme Platform ONE と統合されています。ワークフロー、アラート、ライセンスビューが共有され、セキュリティ管理がさらに簡素化されます。
- クラウドまたはオンプレミスのネットワークアクセス制御（NAC）とゼロトラスト・ネットワークアクセス（ZTNA）を統合し、1つのポリシーエンジンでネットワーク、アプリケーション、デバイスを保護して、接点と作業時間を削減します。
- ガイド付きセットアップと、Okta、Google Workspace、Microsoft Entra ID などの主要なIDプロバイダー（IdP）、Microsoft Intune や Google Workspace などのモバイルデバイス管理（MDM）ツール、および標準準拠の IdP との事前統合により、価値実現までの時間を短縮し、ポリシー管理を簡素化します。



単一のID中心のゼロトラストエンジンで、ネットワークアクセスとアプリケーションアクセスのポリシーを設定できます。

- ネイティブのクラウドPKIと証明書管理がセキュアライセンスに含まれ、証明書の発行、展開、更新、失効を自動化することで、運用負荷と設定ミスを減らし、ゼロトラストを大規模に加速します。
- ネットワーキングまたはセキュリティからの統合ワークフローにより、ユニバーサル・アクセスポイント（AP）とスイッチ上のIoTおよびエンドユーザーデバイス、Service Set Identifier（SSID）、ポート、仮想LAN（VLAN）の設定を自動化し、工数を削減して一貫性を確保します。
- アプリケーションの検出、ポリシー評価、パケットキャプチャにより、根本原因の分析を加速し、解決までの時間を短縮します。
- 単一の監視・レポートシステムにより、管理が簡素化され、セキュリティに関する豊富なインサイトが得られます。
- Premier Services サポートは追加料金でご利用いただけます。

内蔵のワイヤレス侵入防止により、最も脆弱なポイントの一つでネットワークを保護

- Extreme Platform ONE Networking との統合により、複雑さと設定ミスのリスクを低減します。
- リアルタイム検出により、不正なデバイスを特定、分類し、アクセスを防止します。
- 自動化された対処により、設定されたポリシーに基づいて緩和策を適用し、対応を迅速化します。


*追加のサブスクリプションが必要です。下記の Extreme Platform ONE Security の発注情報をご覧ください

業務を簡素化し、ビジネス成果を加速

多くの組織が複雑さに苦しんでいます。製品はサイロ化し、統合にはコストがかかり、可視性は限られています。Extreme Platform ONE は、ネットワークのマルチドメイン、マルチレイヤ、マルチベンダーのビュー、簡素化されたワークフロー、パーソナライズされた体験により、運用の複雑さと工数を削減し、効率の向上と総所有コストの削減を実現します。

マルチドメイン、マルチレイヤ、マルチベンダーの詳細なビューで、ネットワークの探索、監視、トラブルシューティングをシンプルに


- 統合モニタリングが、アラート、デバイスステータス、クライアントの状態に関するリアルタイムのインサイトを提供し、トラブルシューティングを簡素化・迅速化します。
- Third-Party Management Engine (TPME) により、Extreme Platform ONE 上で他社製デバイスを Extreme デバイスと並べて表示でき、マルチベンダーのネットワーク環境全体を管理できます。
- Extreme デバイスについて、地理、論理、物理、アクセス、無線周波数 (RF)、Extreme Fabric、サービスの各レイヤのビューにより、ネットワークをより速く理解し、より簡単に管理できます。
- RFマップにより、Wi-Fiの設計、最適化、トラブルシューティングが容易になります。
- リアルタイムのアラート・オーバーレイと並列表示により、障害の特定と根本原因の把握が迅速になります。



ヘルス、アラート、キャパシティなどの詳細を一目で確認

オンボーディングの迅速化とゼロタッチの Extreme Fabric で、新規サービスや移動・追加・変更にかかる時間を削減


- サイト設定により、サイトグループ、サイト、建物、フロア全体にネットワークポリシーを適用できます。
- デバイスのオンボーディングにより、新しいデバイスの登録、設定、展開を個別または一括で簡単に行えます。
- 有線設定により、管理者はレイヤ2とスタティックルーティングを設定できます。
- 無線設定により、管理者はフロアプランとヒートマップのパラメータを設定できます。
- Task Center でのファームウェアの一元管理、バックアップ/リストア、可視化の改善
- Extreme Fabric の設定により、主要なファブリックパラメータを迅速に微調整できます。



サイト、デバイス、ネットワークポリシーのクイック設定

統合されたインベントリ、サブスクリプション、契約管理を内蔵し、財務管理を簡素化


- デバイスとインベントリのモニタリングにより、計画、設計、設定、展開が迅速になります。
- プロアクティブなコンプライアンスアラートにより、リスクを低減し、コンプライアンス対応の工数を削減します。
- すべてのクラウドベースのサブスクリプションとライセンスを一覧表示することで、コスト管理が向上し、予算編成が簡素化されます。
- サブスクリプションの更新や新規申請はわずか数分で完了し、時間を節約して中断のリスクを低減します。
- Enterprise Agreement により、組織は単一の統合された契約、価格/割引の保護、セルフサービスのサブスクリプションを利用できます。



インベントリとコンプライアンス機能を内蔵

業界をリードする設計とユーザビリティで、ユーザーを体験の中心に


- メインダッシュボードに、システム全体の状態の概要を表示します。
- ロールベースのパーソナライズされた体験により、あらゆるワークフローが高速になります。
- 2クリック設計ルールにより、複数の画面を移動することなく、ユーザーが必要なものをすばやく見つけて操作できるため、生産性が向上します。
- デバイスグループ、タグ付け、検索、フィルターにより、ネットワークを整理し、目的の情報を簡単に見つけられます。
- インスペクターが、選択したスイッチ、アクセスポイント、リンク、その他のネットワークオブジェクトの詳細情報をスマートに展開表示します。
- レスポンシブデザインにより、さまざまなデバイスや画面サイズで効果的に作業できます。



スマートな展開表示により、ユーザーエクスペリエンスを簡素化

強力な管理ツールで、アクセス、アラート、監査ログなどの管理にかかる時間を削減

- アクセス管理により、社内ユーザーのアクセスルールの設定や、パートナーとの共同作業への招待を簡単に行えます。
- アラートと通知ポリシーにより、多様な設定オプションを備えたグローバルおよびローカルのポリシーでアラート量を削減します。
- バックアップとリストアにより、いくつかのトグル操作で管理インスタンスを簡単に保護できます。
- 統合機能により、APIアクセストークンとデータ管理を通じてプラットフォームの自動化が容易になります。
- 監査ログにより、コンプライアンス対応、変更の監視、フォレンジック、必要時のロールバックが容易になります。



包括的でフィルタリング可能な表示により、複雑さを軽減

24時間365日の人によるテクニカルサポートを含む、シンプルで包括的なサブスクリプション・プログラム

ネットワークの所有と運用は、本来必要以上に複雑でコストがかかっています。複数のサブスクリプション・プログラム、プレミアムライセンスの要件、特定の管理サブスクリプションでしか動作しないハードウェアにより、価値の最適化が難しくなっています。Extreme Platform ONE は、使いやすさと同様に、購入と拡張もシンプルです。複数の明細行やプレミアム・サブスクリプションの要件を伴う複雑な部品表は必要ありません。

Extreme Platform ONE Networking サブスクリプションに含まれるもの:

- Extreme AI、可視化、設定、Extreme Fabric 管理などのテクノロジー
- テクニカルサポート、ExtremeWorks : 24時間365日のグローバル・テクニカル・アシスタンス・センター（GTAC）を通じた、100%自社内の業界トップクラスの技術専門家によるサポートと、オペレーティングシステム（OS）サポート*
- 関連デバイスのハードウェア交換（保証のみ）（追加のアドバンスト・ハードウェア交換オプションや、Remote Readiness Assessment などのプロフェッショナルサービスもご利用いただけます）

たとえば、Extreme 4220 48ポート・スイッチと Extreme Platform ONE Networking サブスクリプションの組み合わせでは、ハードウェア用に1つのSKU、サブスクリプション用に1つのSKUのみが必要です。

Qty	Part Number	Description
1	4220-48T-4X	4220 48 Port Switch 48T-4X
1	EPI-STD-TA-S-C-EW-1YR	EPI Standard SaaS EW Support Tier A 1YR

*Premier Services による、より手厚いホワイトグローブ・テクニカルサポートサービスはオプションです。

Extreme Platform ONE Networking は、事前定義または設定可能な契約期間の4つのティアで提供されます。3年および5年のSKUは期間固定です。一方、柔軟な期間（2年、4年、6年、7年など）は、期間固定ではない1年SKUを通じて発注できます。Universalプラットフォームのハードウェアとティア別サブスクリプションの対応は以下のとおりです。ただし、X435、X460-G2、VSP7400 など、サポート終了（EOSL）に達していない非 Universal プラットフォームも、デバイスのクラスに応じて対象となります。

Tier	Wireless	Wired	Term
A	All Indoor and Outdoor APs	4100, 4200, 5100, 5300 Series	1 (flexible), 3, 5
B		5400 Series	1 (flexible), 3, 5
C		5500 Series	1 (flexible), 3, 5
D		5700, 7500, 7700 Series	1 (flexible), 3, 5

Extreme Platform ONE サブスクリプションには、契約期間中、以下の権利が含まれます：

- 使用权（RTU）：Extreme Platform ONE と Extreme AI Expert（GTAC電話サポート、アップグレードおよびメンテナンスリリースを含む）
- 管理対象デバイス（AP5020、AP4000、4120、4220、5320、5520、5720シリーズ・スイッチなど）に対する、機能リリースおよびメンテナンスリリースを含む組み込みネットワークOSのサポート
- AI支援によるGTACサポート
- 管理対象デバイスの組み込みネットワークOSに対するGTAC電話サポート

サブスクリプションの部品番号と説明

ExtremeWorks TAC・OSサポートを含む Extreme Platform ONE サブスクリプション

Part Number	Description
EPI-STD-TA-S-C-EW-1YR	Extreme Platform ONE Standard Networking right-to-use and EW TAC OS Support for one (1) device of Tier A per year
EPI-STD-TA-S-C-EW-3YR	Extreme Platform ONE Standard Networking right-to-use and EW TAC OS Support for one (1) device of Tier A for three (3) years
EPI-STD-TA-S-C-EW-5YR	Extreme Platform ONE Standard Networking right-to-use and EW TAC OS Support for one (1) device of Tier A for five (5) years
EPI-STD-TB-S-C-EW-1YR	Extreme Platform ONE Standard Networking right-to-use and EW TAC OS Support for one (1) device of Tier B per year
EPI-STD-TB-S-C-EW-3YR	Extreme Platform ONE Standard Networking right-to-use and EW TAC OS Support for one (1) device of Tier B for three (3) years
EPI-STD-TB-S-C-EW-5YR	Extreme Platform ONE Standard Networking right-to-use and EW TAC OS Support for one (1) device of Tier B for five (5) years
EPI-STD-TC-S-C-EW-1YR	Extreme Platform ONE Standard Networking right-to-use and EW TAC OS Support for one (1) device of Tier C per year
EPI-STD-TC-S-C-EW-3YR	Extreme Platform ONE Standard Networking right-to-use and EW TAC OS Support for one (1) device of Tier C for three (3) years
EPI-STD-TC-S-C-EW-5YR	Extreme Platform ONE Standard Networking right-to-use and EW TAC OS Support for one (1) device of Tier C for five (5) years
EPI-STD-TD-S-C-EW-1YR	Extreme Platform ONE Standard Networking right-to-use and EW TAC OS Support for one (1) device of Tier D per year
EPI-STD-TD-S-C-EW-3YR	Extreme Platform ONE Standard Networking right-to-use and EW TAC OS Support for one (1) device of Tier D for three (3) years
EPI-STD-TD-S-C-EW-5YR	Extreme Platform ONE Standard Networking right-to-use and EW TAC OS Support for one (1) device of Tier D for five (5) years

ExtremeWorks Premier TAC・OSサポートを含む Extreme Platform ONE サブスクリプション

Part Number	Description
EPI-STD-TA-S-C-EWP-1YR	Extreme Platform ONE Standard Networking right-to-use and EW Premier TAC OS Support for one (1) device of Tier A per year
EPI-STD-TA-S-C-EWP-3YR	Extreme Platform ONE Standard Networking right-to-use and EW Premier TAC OS Support for one (1) device of Tier A for three (3) years
EPI-STD-TA-S-C-EWP-5YR	Extreme Platform ONE Standard Networking right-to-use and EW Premier TAC OS Support for one (1) device of Tier A for five (5) years
EPI-STD-TB-S-C-EWP-1YR	Extreme Platform ONE Standard Networking right-to-use and EW Premier TAC OS Support for one (1) device of Tier B per year
EPI-STD-TB-S-C-EWP-3YR	Extreme Platform ONE Standard Networking right-to-use and EW Premier TAC OS Support for one (1) device of Tier B for three (3) years
EPI-STD-TB-S-C-EWP-5YR	Extreme Platform ONE Standard Networking right-to-use and EW Premier TAC OS Support for one (1) device of Tier B for five (5) years
EPI-STD-TC-S-C-EWP-1YR	Extreme Platform ONE Standard Networking right-to-use and EW Premier TAC OS Support for one (1) device of Tier C per year
EPI-STD-TC-S-C-EWP-3YR	Extreme Platform ONE Standard Networking right-to-use and EW Premier TAC OS Support for one (1) device of Tier C for three (3) years
EPI-STD-TC-S-C-EWP-5YR	Extreme Platform ONE Standard Networking right-to-use and EW Premier TAC OS Support for one (1) device of Tier C for five (5) years
EPI-STD-TD-S-C-EWP-1YR	Extreme Platform ONE Standard Networking right-to-use and EW Premier TAC OS Support for one (1) device of Tier D per year
EPI-STD-TD-S-C-EWP-3YR	Extreme Platform ONE Standard Networking right-to-use and EW Premier TAC OS Support for one (1) device of Tier D for three (3) years
EPI-STD-TD-S-C-EWP-5YR	Extreme Platform ONE Standard Networking right-to-use and EW Premier TAC OS Support for one (1) device of Tier D for five (5) years

Partner Support Service TAC・OSサポートを含む Extreme Platform ONE サブスクリプション（パートナーの共同提供認定が必要）

Part Number	Description
EPI-STD-TA-S-C-PSS-1YR	Extreme Platform ONE Standard Networking right-to-use and Partner Support Service (PSS) TAC OS Support for one (1) device of Tier A per year
EPI-STD-TB-S-C-PSS-1YR	Extreme Platform ONE Standard Networking right-to-use and Partner Support Service (PSS) TAC OS Support for one (1) device of Tier B per year
EPI-STD-TC-S-C-PSS-1YR	Extreme Platform ONE Standard Networking right-to-use and Partner Support Service (PSS) TAC OS Support for one (1) device of Tier C per year
EPI-STD-TD-S-C-PSS-1YR	Extreme Platform ONE Standard Networking right-to-use and Partner Support Service (PSS) TAC OS Support for one (1) device of Tier D per year
EPI-STD-TA-S-C-PSS-3YR	Extreme Platform ONE Standard Networking right-to-use and Partner Support Service (PSS) TAC OS Support for one (1) device of Tier A for three (3) years
EPI-STD-TB-S-C-PSS-3YR	Extreme Platform ONE Standard Networking right-to-use and Partner Support Service (PSS) TAC OS Support for one (1) device of Tier B for three (3) years
EPI-STD-TC-S-C-PSS-3YR	Extreme Platform ONE Standard Networking right-to-use and Partner Support Service (PSS) TAC OS Support for one (1) device of Tier C for three (3) years
EPI-STD-TD-S-C-PSS-3YR	Extreme Platform ONE Standard Networking right-to-use and Partner Support Service (PSS) TAC OS Support for one (1) device of Tier D for three (3) years
EPI-STD-TA-S-C-PSS-5YR	Extreme Platform ONE Standard Networking right-to-use and Partner Support Service (PSS) TAC OS Support for one (1) device of Tier A for five (5) years
EPI-STD-TB-S-C-PSS-5YR	Extreme Platform ONE Standard Networking right-to-use and Partner Support Service (PSS) TAC OS Support for one (1) device of Tier B for five (5) years
EPI-STD-TC-S-C-PSS-5YR	Extreme Platform ONE Standard Networking right-to-use and Partner Support Service (PSS) TAC OS Support for one (1) device of Tier C for five (5) years
EPI-STD-TD-S-C-PSS-5YR	Extreme Platform ONE Standard Networking right-to-use and Partner Support Service (PSS) TAC OS Support for one (1) device of Tier D for five (5) years

TAC・OSサポートを含む Extreme Platform ONE SD-WAN サブスクリプション

Part Number	Description
EPI-SDW-ADV-L-S-C-EW-5YR	Extreme Platform ONE SD-WAN Advanced Networking right-to-use and EW TAC OS Support for one (1) device of Tier L for five (5) years
EPI-SDW-ADV-L-S-C-EW-5YR	Extreme Platform ONE SD-WAN Advanced Networking right-to-use and EW TAC OS Support for one (1) device of Tier L for five (5) years
EPI-SDW-STD-S-S-C-EWP-5YR	Extreme Platform ONE SD-WAN Standard Networking right-to-use and EWP TAC OS Support for one (1) device of Tier S for five (5) years
EPI-SDW-STD-M-S-C-EWP-5YR	Extreme Platform ONE SD-WAN Standard Networking right-to-use and EWP TAC OS Support for one (1) device of Tier M for five (5) years
EPI-SDW-STD-L-S-C-EWP-5YR	Extreme Platform ONE SD-WAN Standard Networking right-to-use and EWP TAC OS Support for one (1) device of Tier L for five (5) years
EPI-SDW-ADV-S-S-C-EWP-5YR	Extreme Platform ONE SD-WAN Advanced Networking right-to-use and EWP TAC OS Support for one (1) device of Tier S for five (5) years
EPI-SDW-ADV-M-S-C-EWP-5YR	Extreme Platform ONE SD-WAN Advanced Networking right-to-use and EWP TAC OS Support for one (1) device of Tier M for five (5) years
EPI-SDW-ADV-L-S-C-EWP-5YR	Extreme Platform ONE SD-WAN Advanced Networking right-to-use and EWP TAC OS Support for one (1) device of Tier L for five (5) years
EPI-SDW-STD-S-S-C-PSS-5YR	Extreme Platform ONE SD-WAN Standard Networking right-to-use and PSS TAC OS Support for one (1) device of Tier S for five (5) years
EPI-SDW-STD-M-S-C-PSS-5YR	Extreme Platform ONE SD-WAN Standard Networking right-to-use and PSS TAC OS Support for one (1) device of Tier M for five (5) years
EPI-SDW-STD-L-S-C-PSS-5YR	Extreme Platform ONE SD-WAN Standard Networking right-to-use and PSS TAC OS Support for one (1) device of Tier L for five (5) years
EPI-SDW-ADV-S-S-C-PSS-5YR	Extreme Platform ONE SD-WAN Advanced Networking right-to-use and PSS TAC OS Support for one (1) device of Tier S for five (5) years
EPI-SDW-ADV-M-S-C-PSS-5YR	Extreme Platform ONE SD-WAN Advanced Networking right-to-use and PSS TAC OS Support for one (1) device of Tier M for five (5) years
EPI-SDW-ADV-L-S-C-PSS-5YR	Extreme Platform ONE SD-WAN Advanced Networking right-to-use and PSS TAC OS Support for one (1) device of Tier L for five (5) years

Extreme Platform ONE SD-WAN アプライアンス

Part Number	Description
SDW-EPI-40AXV2-A	SD-WAN Medium Tier Appliance ipe-40axv2
SDW-EPI-420AX-A	SD-WAN Medium Tier Appliance ipe-420axv2
SDW-EPI-2200AXT-A	SD-WAN Large Tier Appliance ipe-2200ax-T
SDW-EPI-2200AXF-A	SD-WAN Large Tier Appliance ipe-2200ax-F

サービス

Extreme Platform ONE Networking サブスクリプションには、新しくなったハードウェア交換サービスのオプションが含まれます。さらに、お客様から高く評価されている Extreme Networks の GTAC サポートとネットワークOSアップデートへのアクセスも、Extreme Platform ONE サブスクリプションに含まれます。これにより、Extreme Platform ONE サブスクリプションを利用する Extreme ハードウェア製品に対して、24時間365日の人によるフルテクニカルサポートを受けることができ、Extreme Platform ONE の体験を補完・強化します。

Extreme Platform ONE にオンボードされたハードウェア製品に対して、ExtremeWorks (97000) や PartnerWorks Plus (95600) の TAC・OSサポートを購入する必要はありません。ExtremeWorks Premier は、Extreme Platform ONE サブスクリプションで選択できる拡張オプションです。Premier の Extreme Platform ONE サブスクリプションを利用するハードウェアデバイスが Premier サポートを受けるために、追加のサービス製品は必要ありません。

ハードウェア交換とオンサイト保守サービスには、Extreme Platform ONE サブスクリプションの TAC・OS 権利と併用できる専用のサービスSKUがあります。これらは、Advanced Hardware Replacement (AHR) の RMA-Only オファーであり、Extreme Platform ONE サブスクリプションを利用する Extreme ハードウェアにのみ有効です。AHR-RMA-Only のオファータイプは、下表のとおりです。

Part Number (prefix only*)	Description
97304	EW NBD AHR RMA Only
97307	EW 4HR AHR RMA Only
97308	EW 4HR ONSITE RMA Only
97311	EW NBD ONSITE RMA Only
94304	EPSS NBD AHR RMA Only
94307	EPSS 4HR AHR RMA Only
94308	EPSS 4HR ONSITE RMA Only
94311	EPSS NBD ONSITE RMA Only

*各プレフィックスの下に詳細なサービスSKUと説明が含まれています。詳細は価格表をご確認ください。

Extreme Platform ONE Security の発注情報

Extreme Platform ONE Security は、追加のサブスクリプションとして提供されます。Extreme Platform ONE Security は、キャンパス、ブランチ、リモート拠点にわたり、単一ポリシーによるユニバーサルなゼロトラスト・ネットワークおよびアプリケーションのアクセス制御を提供します。このサブスクリプションはオプションであり、前述の場合を除き、Extreme Platform ONE には必須ではありません。

Part Number	Description
EPI-SEC-S-C-10K-EW-3YR	Extreme Platform ONE Secure Subscription with EW Support for 10,000 endpoints for 3 years
EPI-SEC-S-C-10K-EWP-3YR	Extreme Platform ONE Secure Subscription with EW Premier Support for 10,000 endpoints for 3 years
EPI-SEC-S-C-10K-PSS-3YR	Extreme Platform ONE Secure Subscription with PSS Support for 10,000 endpoints for 3 years
EPI-SEC-S-C-10K-EW-5YR	Extreme Platform ONE Secure Subscription with EW Support for 10,000 endpoints for 5 years
EPI-SEC-S-C-10K-EWP-5YR	Extreme Platform ONE Secure Subscription with EW Premier Support for 10,000 endpoints for 5 years
EPI-SEC-S-C-10K-PSS-5YR	Extreme Platform ONE Secure Subscription with PSS Support for 10,000 endpoints for 5 years
EPI-SEC-S-C-100K-EW	Extreme Platform ONE Secure Subscription with EW Support for 100,000 endpoints per year
EPI-SEC-S-C-100K-EWP	Extreme Platform ONE Secure Subscription with EW Premier Support for 100,000 endpoints per year
EPI-SEC-S-C-100K-PSS	Extreme Platform ONE Secure Subscription with PSS Support for 100,000 endpoints per year
EPI-SEC-S-C-100K-EW-3YR	Extreme Platform ONE Secure Subscription with EW Support for 100,000 endpoints for 3 years

Extreme Platform ONE Security (続き)

Part Number	Description
EPI-SEC-S-C-100K-EWP-3YR	Extreme Platform ONE Secure Subscription with EW Premier Support for 100,000 endpoints for 3 years
EPI-SEC-S-C-100K-PSS-3YR	Extreme Platform ONE Secure Subscription with PSS Support for 100,000 endpoints for 3 years
EPI-SEC-S-C-100K-EW-5YR	Extreme Platform ONE Secure Subscription with EW Support for 100,000 endpoints for 5 years
EPI-SEC-S-C-100K-EWP-5YR	Extreme Platform ONE Secure Subscription with EW Premier Support for 100,000 endpoints for 5 years
EPI-SEC-S-C-100K-PSS-5YR	Extreme Platform ONE Secure Subscription with PSS Support for 100,000 endpoints for 5 years
EPI-SECPLUS-S-C-50-EW	Extreme Platform ONE Secure Plus Subscription with EW Support for 50 endpoints and 50 remote users per year
EPI-SECPLUS-S-C-50-EWP	Extreme Platform ONE Secure Plus Subscription with EW Premier Support for 50 endpoints and 50 remote users per year
EPI-SECPLUS-S-C-50-PSS	Extreme Platform ONE Secure Plus Subscription with PSS Support for 50 endpoints and 50 remote users per year
EPI-SECPLUS-S-C-50-EW-3YR	Extreme Platform ONE Secure Plus Subscription with EW Support for 50 endpoints and 50 remote users for 3 years
EPI-SECPLUS-S-C-50-EWP-3YR	Extreme Platform ONE Secure Plus Subscription with EW Premier Support for 50 endpoints and 50 remote users for 3 years
EPI-SECPLUS-S-C-50-PSS-3YR	Extreme Platform ONE Secure Plus Subscription with PSS Support for 50 endpoints and 50 remote users for 3 years
EPI-SEC-S-C-100K-EWP-3YR	Extreme Platform ONE Secure Subscription with EW Premier Support for 100,000 endpoints for 3 years
EPI-SEC-S-C-100K-PSS-3YR	Extreme Platform ONE Secure Subscription with PSS Support for 100,000 endpoints for 3 years
EPI-SEC-S-C-100K-EW-5YR	Extreme Platform ONE Secure Subscription with EW Support for 100,000 endpoints for 5 years
EPI-SEC-S-C-100K-EWP-5YR	Extreme Platform ONE Secure Subscription with EW Premier Support for 100,000 endpoints for 5 years
EPI-SEC-S-C-100K-PSS-5YR	Extreme Platform ONE Secure Subscription with PSS Support for 100,000 endpoints for 5 years
EPI-SECPLUS-S-C-50-EW	Extreme Platform ONE Secure Plus Subscription with EW Support for 50 endpoints and 50 remote users per year
EPI-SECPLUS-S-C-50-EWP	Extreme Platform ONE Secure Plus Subscription with EW Premier Support for 50 endpoints and 50 remote users per year
EPI-SECPLUS-S-C-50-PSS	Extreme Platform ONE Secure Plus Subscription with PSS Support for 50 endpoints and 50 remote users per year
EPI-SECPLUS-S-C-50-EW-3YR	Extreme Platform ONE Secure Plus Subscription with EW Support for 50 endpoints and 50 remote users for 3 years
EPI-SECPLUS-S-C-50-EWP-3YR	Extreme Platform ONE Secure Plus Subscription with EW Premier Support for 50 endpoints and 50 remote users for 3 years
EPI-SECPLUS-S-C-50-PSS-3YR	Extreme Platform ONE Secure Plus Subscription with PSS Support for 50 endpoints and 50 remote users for 3 years
EPI-SECPLUS-S-C-50-EW-5YR	Extreme Platform ONE Secure Plus Subscription with EW Support for 50 endpoints and 50 remote users for 5 years
EPI-SECPLUS-S-C-50-EWP-5YR	Extreme Platform ONE Secure Plus Subscription with EW Premier Support for 50 endpoints and 50 remote users for 5 years
EPI-SECPLUS-S-C-50-PSS-5YR	Extreme Platform ONE Secure Plus Subscription with PSS Support for 50 endpoints and 50 remote users for 5 years

Extreme Platform ONE Third-Party Management Engine の 発注情報

Extreme Platform ONE 向けの Third-Party Management Engine (TPME) が利用可能になりました。TPME により、他社製デバイスを TPME で検出し、検出したデバイスの情報を Extreme Platform ONE の画面に Extreme デバイスと並べて表示できます。他社製デバイスを TPME および Extreme Platform ONE にオンボードするには、デバイスごとにライセンスが必要です。注：TPME を使用するには、Extreme Platform ONE EPI-STD-TA-S-C Tier A サブスクリプションが前提条件となります。

Part Number	Description
EPI-STD-T3RD-S-C-EW-1YR	Extreme Platform ONE Standard Networking Subscription with EW Support for one (1) Third-Party device per year; support limited to Extreme Networks applications.
EPI-STD-T3RD-S-C-EWP-1YR	Extreme Platform ONE Standard Networking Subscription with EWP Support for one (1) Third-Party device per year; support limited to Extreme Networks applications.
EPI-STD-T3RD-S-C-PSS-1YR	Extreme Platform ONE Standard Networking Subscription with PSS Support for one (1) Third-Party device per year; support limited to Extreme Networks applications.
EPI-STD-T3RD-S-C-EW-3YR	Extreme Platform ONE Standard Networking Subscription with EW Support for one (1) Third-Party device for three (3) years; support limited to Extreme Networks applications.
EPI-STD-T3RD-S-C-EWP-3YR	Extreme Platform ONE Standard Networking Subscription with EWP Support for one (1) Third-Party device for three (3) years; support limited to Extreme Networks applications.
EPI-STD-T3RD-S-C-PSS-3YR	Extreme Platform ONE Standard Networking Subscription with PSS Support for one (1) Third-Party device for three (3) years; support limited to Extreme Networks applications.
EPI-STD-T3RD-S-C-EW-5YR	Extreme Platform ONE Standard Networking Subscription with EW Support for one (1) Third-Party device for five (5) years; support limited to Extreme Networks applications.
EPI-STD-T3RD-S-C-EWP-5YR	Extreme Platform ONE Standard Networking Subscription with EWP Support for one (1) Third-Party device for five (5) years; support limited to Extreme Networks applications.
EPI-STD-T3RD-S-C-PSS-5YR	Extreme Platform ONE Standard Networking Subscription with PSS Support for one (1) Third-Party device for five (5) years; support limited to Extreme Networks applications.

追加情報

Extreme Platform ONE の技術情報については、extremenetworks.com/platform-oneをご覧ください。

その他のリソース:

- [Extreme Platform ONE ライブデモ](#)
- [Extreme Platform ONE セルフガイド型プロダクトツアー](#)
- [総所有コスト \(TCO\) 計算ツール](#)
- [ACG Research レポート: The Economic Benefits of Extreme Platform ONE™ and Extreme Fabric](#)
- [IDC ホワイトペーパー: The Era of Connectivity Platforms: Reimagining Networking Across the Enterprise](#)
- [導入事例: West Suffolk NHS Trust Foundation, 47分で Extreme Platform ONE へアップグレード](#)
- [Futurium ホワイトペーパー: Delivering ROI with Extreme Fabric, Views from the Field](#)
- [ネットワークセキュリティのWebページ](#)